ELSEVIER

Volume 494, Numbers 1–2, 31 May 1995

Journal of Organometallic Chemistry

Contents

Regular Papers

Smoke suppression for poly(vinyl chloride) by iron–organic polymer systems
K. Sekigawa, H. Yasuda, H. Tamai (Higashi-Hiroshima, Japan), A. Hiwara, A. Nakamura (Toyonaka, Japan) and H. Sakai (Higashi-Hiroshima, Japan) . . . 1

Preparation and some reactions of neophyltin anions
J.C. Podestá, A.B. Chopa, N.N. Giagante and A.E. Zúñiga (Bahía Blanca, Argentina) . . . 5

Synthesis and some reactions of mixed (−)-menthyltin hydrides
J.C. Podestá, A.B. Chopa, G.E. Radivoy and C.A. Vitale (Bahía Blanca, Argentina) . . . 11

Synthesis of $[Fe_2(CO)_6(\mu\text{-}SC_2H_5)(\mu\text{-}CCR)]$ (R = CH_3 or C_6H_5) and reactivity with electron-rich molecules, triphenylphosphine, diphenylacetylene, ethylthio(phenyl)ethyne and (diethylamino)propyne. Preparation of $[Fe_2(CO)_6(\mu\text{-}SCCC_6H_5)(\mu\text{-}CCC_6H_5)]$ and formation of $[Fe_4(CO)_{12}(\mu_4\text{-}S)(\mu\text{-}CCC_6H_5)_2]$
C. Rosenberger, N. Steunou, S. Jeannin and Y. Jeannin (Paris, France) . . . 17

Novel oxo-bridged dinuclear molybdenum(II) complexes: reaction of $[Mo_2(O_2CCH_3)_2(CH_3CN)_6](BF_4)_2$ with aromatic isocyanides. X-Ray crystal structures of $[Mo_2(\mu\text{-}O)(RNC)_{10}](BF_4)_2$ (R = 2,6-$Me_2C_6H_3$) and $[Mo(=O)F(RNC)_4](BF_4)$ (R = 2,4,6-$Me_3C_6H_2$)
T. Igoshi, T. Tanase and Y. Yamamoto (Chiba, Japan) . . . 37

Reaction of aminocarbene complexes of chromium and tungsten. 6. Rearrangements of and insertions of alkynes into aziridinylcarbene complexes
B. Denise, A. Parlier, H. Rudler and J. Vaissermann (Paris, France) . . . 43

Reaction of ethyl 3,3-diethoxyacrylate with Fischer alkoxyalkynyl transition metal carbene complexes
L. Jordi, F. Camps, S. Ricart, J.M. Viñas, J.M. Moretó, M. Mejias and E. Molins (Barcelona, Spain) . . . 53

Synthese, Koordinationsverhalten und Thermolyse alkinylfunktionalisierter Übergangsmetall-Komplexe; Kristallstruktur von $\{Mo_2(\eta^5\text{-}C_5H_5)_2(CO)_4[(\mu_4\text{-}\eta^{2:2:2:2}\text{-}Me_3SiC{\equiv}C{-}C{\equiv}CSiMe_3)Co_2(CO)_6]\}$
H. Lang, S. Blau, G. Rheinwald und L. Zsolnai (Heidelberg, Germany) . . . 65

Synthesis and characterization of dimeric organochalcogenido-bridged methylpalladium and allylpalladium complexes
A. Singhal and V.K. Jain (Bombay, India) . . . 75

Addition of $CHSiMe_3$ to the Co–S Bond of 1,2,5,3-cobaltadithiazole. Formation and reactions of stereoisomeric cobaltathiirane complexes
Y. Mori, M. Takehara, T. Sugiyama, M. Kajitani, T. Akiyama, M. Yamasaki and A. Sugimori (Tokyo, Japan) . . . 81

Synthesis and vibrational spectra of thiobutyrolactone and thiono-benzonaphthopyranones and their cyclopentadienyl ruthenium complexes
R. Pikl, W. Kiefer, I. Reuther, W.A. Schenk, B. Schöner, O. Schupp and G. Bringmann (Würzburg, Germany) . . . 89

Cyclometallation of 3,5 disubstituted *N*-benzylideneamines by palladium(II). Synthesis and X-ray crystal structure of $[Pd(3,5\text{-}F_2C_6H_2CH{=}NC_6H_5)Br(PPh_3)_2]$
J. Albert, J. Granell, R. Moragas, J. Sales, M. Font-Bardía and X. Solans (Barcelona, Spain) . . . 95

Mononuclear alkyl and acyl derivatives of rheniumpentacarbonyl: synthesis, characterization and properties
J.-A.M. Andersen and J.R. Moss (Rondebosch, South Africa) . . . 105

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen XLV. Struktur und dynamisches Verhalten von *cis*-Dicarbonyl-bis(η^4-1,3-dien)-chrom(0)-, -molybdän(0)- und -wolfram(0)-Komplexen
S. Özkar (Ankara, Turkey), C.G. Kreiter und M. Kotzian (Kaiserslautern, Deutschland) . . . 115

An EPR study of the reaction of tetrabutylammonium borohydride with *N*-Heterocycles
M. Lucarini and G.F. Pedulli (Bologna, Italy) . . . 123

Tetrafluorocyclodisilazanes: synthesis, crystal structure, and molecular orbital ab initio calculations
T. Müller, Y. Apeloig (Haifa, Israel), I. Hemme, U. Klingebiel and M. Noltemeyer (Göttingen, Germany) . . . 133

Katalytische Hydrierung chlorhaltiger Disilane mit Tributylstannan
U. Herzog, G. Roewer und U. Pätzold (Freiberg, Deutschland) . . . 143

New syntheses of $[Et_4N][(C_5H_{10}NCS_2)M(CO)_4]$ (M=Cr, Mo and W): Insertion reaction of carbon disulfide into the metal–nitrogen bond
K.-H. Yih, S.-C. Chen, Y.-C. Lin, G.-H. Lee and Y. Wang (Taiwan, Taiwan) . . . 149

Synthese und Charakterisierung von Poly(dialkinylsilylen-co-methylenen)
W. Habel, A. Oelschläger und P. Sartori (Duisburg, Deutschland) . . . 157

On the stability of the copper-(S)-proline catalyst in the enantioselective allylic acyloxylation of alkenes
A. Levina, F. Hénin and J. Muzart (Reims, France) . . . 165

Synthesis, characterization, reactivity, and catalytic hydrogenation activity of the hexanuclear hexahydrido carbonyl cluster compound $[Ru_6(\mu\text{-}H)_6(\mu_3,\eta^2\text{-ampy})_2(CO)_{14}]$ (Hampy = 2-amino-6-methylpyridine)
J.A. Cabeza, I. Del Río, J.M. Fernández-Colinas, A. Llamazares and V. Riera (Oviedo, Spain) . . . 169

Synthesis and fluxional behaviour of allylpalladium complexes with poly(pyrazol-1-yl)methane ligands
F.A. Jalón, B.R. Manzano, A. Otero and M.C. Rodríguez-Pérez (Ciudad Real, Spain) . . . 179

Synthesis and characterization of asymmetric C,N-cyclometallated complexes of Mo(II). X-ray crystal structures of $[(\eta^5\text{-}C_5H_5)Mo\{C_6H_2(OCH_2O)\text{-}2,3\text{-}CH_2NMe_2\text{-}6\}(I)(NO)]$ and $[(\eta^5\text{-}C_5H_5)Mo\{S\text{-}C_6H_4CH(Me)NMe_2\text{-}2\}(I)(NO)]$
M. Pfeffer, E.P. Urriolabeitia, A. De Cian and J. Fischer (Strasbourg, France) . . . 187

1-Me_2NH-2-CH_2Cl-*closo*-1-$CB_{11}H_{10}$. An unusual product from the insertion reaction of Me_2NBCl_2 with Li_2 [7-Me_3N-*nido*-7-$CB_{10}H_{10}$]
J.H. Morris, G.S. Peters and M.D. Spicer (Glasgow, UK) 195
Synthesis and multinuclear NMR studies of 3-aminopropyl(aryl)chalcogenides, $NH_2CH_2CH_2CH_2EAr$ (E=Se, Te), and their complexes with Pt(II) and Pd(II)
A. Khanna, A. Bala and B.L. Khandelwal (New Delhi, India) 199
Nitrile exchange reactions of $[MI_2(CO)_3(NCMe)_2]$ (M = Mo or W). X-ray crystal structures of the mixed-ligand seven-coordinate complexes $[WI_2(CO)_2(NCR)(AsPh_3)]$ (R = Et or Ph)
P.K. Baker (Gwynedd, UK), M.E. Harman, M.B. Hursthouse, A.I. Karaulov (Cardiff, UK), A.J. Lavery (Manchester, UK), K.M.A. Malik (Cardiff, UK), D.J. Muldoon (Gwynedd, UK) and A. Shawcross (Manchester, UK) 205
Modes of complexation of non-substituted and substituted tetraazamacrocycles with Group 6 metal carbonyls. X-ray structure of [(permethylcyclam)$Mo(CO)_4$]
V. Patinec, J.-J. Yaouanc, J.-C. Clément, H. Handel, H. Des Abbayes (Brest, France) and M.M. Kubicki (Dijon, France) 215
Ein einfaches Verfahren zur Herstellung von Organozinnaziden. Synthese und Struktur der sterisch gehinderten Stannylazide $^tBu_3SnN_3$ und $^tBu_2Sn(N_3)_2$
D. Hänssgen, M. Jansen, C. Leben und T. Oster (Bonn, Germany) 223
Palladium complex-catalyzed intermolecular reductive *N*-heterocyclization: novel synthesis of quinazoline derivatives from 2-nitrobenzaldehyde or 2-nitrophenyl ketones with formamide
M. Akazome, J. Yamamoto, T. Kondo and Y. Watanabe (Kyoto, Japan) 229
Organometallic complex catalysis in water. II. Water soluble organoruthenium(IV) catalysts for the emulsion polymerization of norbornene
S. Wache (Garching, Germany) 235
Preparation of bis(η^6-2-R-benzo[*b*]thiophene)-chromium and -molybdenum (R = H, Me, $SiMe_3$) sandwich complexes via metal vapour synthesis. Crystal structure of $[Cr(\eta^6\text{-}2\text{-Me } C_8H_5S)_2]$
N.C. Burton, F.G.N. Cloke, P.B. Hitchcock, G.O. Mepsted, C. Newton and H. Patel (Brighton, UK) 241
Crystal structure of the dimeric bis(*p*-fluoro- and pentafluorophenylacetato)tetra-n-butyldistannoxanes
E.R.T. Tiekink (Adelaide, Australia), M. Gielen, A. Bouhdid, M. Biesemans and R. Willem (Brussels, Belgium) 247
Synthesis and characterisation of chlorobis(dialkylamido) and alkylbis(dialkylamido) derivatives of $[(\eta^5\text{-}C_5Me_5)MCl_3]$(M = Ti,Zr)
A.M. Irigoyen, A. Martín, M. Mena, F. Palacios and C. Yélamos (Alcalá de Henares, Spain) 255
Thiolate derivatives of bis(diphenylphosphinocyclopentadienyl)titanium Ti–Pt and Ti–Pd heterobimetallic compounds
E. Delgado (Madrid, Spain), J. Forniés (Zaragoza, Spain), E. Hernández (Madrid, Spain), E. Lalinde (Logroño, Spain), N. Mansilla (Madrid, Spain) and M.T. Moreno (Logroño, Spain) 261
Ruthenium clusters with nitrogen ligands. IV. Double C–H activation of ketimine methyl groups on triruthenium carbonyl clusters. Crystal structure of $Ru_3(\mu\text{-}H)_2[\mu_3\text{-}\eta^2\text{-}(N,C)\text{-}4\text{-}HOC_6H_4N{=}CMeCH](CO)_9$. Et_2O
M.P. Cifuentes, T.P. Jeynes, M. Gray, M.G. Humphrey (Armidale, Australia), B.W. Skelton and A.H. White (Nedlands, Australia). 267
Synthesis and characterization of triosmium clusters containing the 2-(benzylthio)benzoyl ligand
S.-M. Lee, K.-K. Cheung and W.-T. Wong (Pokfulam Road, Hong Kong) 273

Preliminary Communications
The reaction of benzene with diethylamine in the presence of an iridium(I)/mercury(II) based system: a model route for the direct amination of aromatic hydrocarbons
P. Diversi, L. Ermini, G. Ingrosso, A. Lucherini, C. Pinzino and L. Sagramora (Pisa, Italy) C1
Synthesis of arene Ti and Zr complexes and their reactivity towards air: crystal structure of $[(C_6H_3Me_3)_2Zr(AlCl_4)(Al_2Cl_7)]$ and $TiCl_3(OPh)$
S. Troyanov, A. Pisarevsky and Y.T. Struchkov (Moscow, Russia) C4
1,2-Diethynylferrocene
U.H.F. Bunz (Mainz, Germany) C8
Synthesis of heterocyclic molybdenum carbene complexes using haloalkyl-substituted epoxides
H. Adams, N.A. Bailey, C.M. Marson, L. Randall and M.J. Winter (Sheffield, UK) C12
NMR spectra and crystal structure of a regioselective hydroformylation catalyst complex $RhH(diphosphite)(CO)_2$
A. Van Rooy, P.C.J. Kamer, P.W.N.M. Van Leeuwen (Amsterdam, Netherlands), N. Veldman and A.L. Spek (Utrecht, Netherlands) C15
Hydrolysis of (pentamethylcyclopentadienyl)titanium(IV) carbamates. X-ray structure of $[\{Cp^*Ti(\eta^2\text{-}O_2CNEt_2)\}_2(\mu\text{-}O)_2]$
P. Gómez-Sal, A.M. Irigoyen, A. Martín, M. Mena, M. Monge and C. Yélamos (Alcalá de Henares, Spain) C19
Synthesis and reactivity of alkynyl(silylamido)uranium complexes
D. Baudry, A. Dormond and A. Hafid (Dijon, France) C22

Book Reviews C24

Errata C25

Author Index C27

Subject Index C29

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.